

## CanNeed-STG-200-d Seam Thickness Gauge (Digital)



After the double seam structure was cut, the seam thickness that measured on the seam monitor is not accurate, therefore, seam thickness need to be measured before the double seam structure was cut.

The “CanNeed-STG-200-d Seam thickness gauge (Digital)” is used to measure the Seam thickness of cans. With measure angle compensation. The center measure point can be adjusted. Cans can be auto - positioned in the center easily during measuring. With the Mitutoyo 0.01mm Resolution Digital Indicator.

Reliable design, invariableness measuring pressure and measuring angle which enable the inexperienced operators can also perform the measurement accurately. Auto aligning the center of can body, applicable for different types of cans.

The gauges can be connected to a computer or SPC system via the adapter and cable, so that to avoid the manual recording and personal error. The gauge can also combine with Canneed Seam Monitors and import the measurement data into computer.

### Technical data:

Measurement range : 0-6mm (optional for other ranges)  
Resolution : 0.01mm

CanNeed-STG-200-d Seam Thickness Gauge (Digital) combines with the Seam Sight™ Full Automatic Seam Monitor, able to import the measurement data into computer



Without cutting or destructing the sample cans, the “CanNeed-STG-200-d Seam Thickness Gauge (Digital)”, “CanNeed-SLG-d Seam Length Gauge” and “CanNeed-CSG-200S Countersink Gauge (Digital)” compose the quick measurement tools for double seam quality control.

**CanNeed-STG-200-d**

**Seam Thickness Gauge (Digital)**



CanNeed-STG-200-d Seam thickness gauge is used to measure the Seam thickness. With measure angle compensation. The high of center measure point can be adjusted.

Reliable design, invariables measuring pressure and measuring angle which enable the inexperienced operators can also perform the measurement accurately. Auto aligning the center of can body, applicable for different types of cans.

**CanNeed-SLG-d**

**Seam Length Gauge**



CanNeed-SLG-d Seam length gauge is used to measure the Seam length (Seam height)

Reliable design, invariables measuring pressure and measuring angle which enable the inexperienced operators can also perform the measurement accurately. The can body was aligned vertically, measurement results are more reliable. Applicable for different types of cans.

**CanNeed-CSG-200S**

**Countersink Gauge (Digital)**



CanNeed-CSG-200S Countersink Gauge (digital) is used to measure the Countersink depth.

Included the zeroization support and protection piece